

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FENOFLEX Dichtungspflege

Revision date: 23.03.2020

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

FENOFLEX Dichtungspflege

Product code:

200205

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Antiadhesive, Plating agent.

1.3. Details of the supplier of the safety data sheet

Company name:	Fenoplast Fügetechnik GmbH	
Street:	Zur Dornheck 21-23	
Place:	D-35764 Sinn-Fleisbach	
Telephone:	+49 (0) 2772 57587-0	Telefax: +49 (0) 2772 57587-20
e-mail:	info@fenoplast.de	
Internet:	http://www.fenoplast.de	
Responsible Department:	E-mail (competent person): productsafety@fenoplast.de	

1.4. Emergency telephone number:

GBK GmbH +49 (0) 6132 / 84 463 (24 h)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes skin irritation.

Causes serious eye irritation.

2.2. Label elements**Regulation (EC) No. 1272/2008****Signal word:** Warning**Pictograms:****Hazard statements**

H315	Causes skin irritation.
H319	Causes serious eye irritation.

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of waste according to applicable legislation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FENOFLEX Dichtungspflege

Revision date: 23.03.2020

Page 2 of 10

Special labelling of certain mixtures

EUH208 Contains glutaral; glutaraldehyde; 1,5-pentanedial. May produce an allergic reaction.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine			1 - < 5 %
	939-464-2		01-2119971970-28	
	Skin Corr. 1C, Eye Dam. 1, Aquatic Chronic 3; H314 H318 H412			
111-30-8	glutaral; glutaraldehyde; 1,5-pentanedial			< 0.1 %
	203-856-5	605-022-00-X		
	Acute Tox. 2, Acute Tox. 3, Skin Corr. 1B, Eye Dam. 1, Resp. Sens. 1, Skin Sens. 1A, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 2; H330 H301 H314 H318 H334 H317 H335 H400 H411 EUH071			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Allergic reactions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FENOFLEX Dichtungspflege

Revision date: 23.03.2020

Page 3 of 10

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Remove persons to safety. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Antiadhesive, Plating agent.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
111-30-8	Glutaraldehyde	0.05	0.2		TWA (8 h)	WEL
		0.05	0.2		STEL (15 min)	WEL

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FENOFLEX Dichtungspflege

Revision date: 23.03.2020

Page 4 of 10

DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine		
Worker DNEL, long-term	dermal	systemic	5,29 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	4,1 mg/m ³
Consumer DNEL, long-term	dermal	systemic	1,2 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	1,01 mg/m ³
Consumer DNEL, long-term	oral	systemic	0,58 mg/kg bw/day
111-30-8	glutaral; glutaraldehyde; 1,5-pentanedial		
Worker DNEL, acute	inhalation	local	0,5 mg/m ³
Worker DNEL, long-term	inhalation	local	0,25 mg/m ³

PNEC values

CAS No	Substance	
Environmental compartment	Value	
	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine	
Freshwater	0,268 mg/l	
Freshwater (intermittent releases)	0,268 mg/l	
Marine water	0,027 mg/l	
Marine sediment	8,1 mg/kg	
Micro-organisms in sewage treatment plants (STP)	7 mg/l	
Soil	35 mg/kg	
111-30-8	glutaral; glutaraldehyde; 1,5-pentanedial	
Freshwater	0,0025 mg/l	
Freshwater (intermittent releases)	0,006 mg/l	
Marine water	0,00025 mg/l	
Micro-organisms in sewage treatment plants (STP)	0,8 mg/l	
Soil	0,209 mg/kg	

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Avoid contact with skin, eyes and clothes. Do not breathe gas/fumes/vapour/spray.

Eye/face protection

Wear eye protection/face protection.

Hand protection

Wear suitable gloves.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FENOFLEX Dichtungspflege

Revision date: 23.03.2020

Page 5 of 10

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	whitish	
Odour:	characteristic	
pH-Value:		not determined

Changes in the physical state

Melting point:		not determined
Initial boiling point and boiling range:		> 35 °C
Flash point:		> 101,1 °C

Flammability

Solid:		not applicable
Gas:		not applicable

Explosive properties

The product is not: Explosive

Lower explosion limits:		not determined
Upper explosion limits:		not determined
Ignition temperature:		not determined

Auto-ignition temperature

Solid:		not applicable
Gas:		not applicable

Decomposition temperature:		not determined
----------------------------	--	----------------

Oxidizing properties

Not oxidising.

Vapour pressure:		not determined
Density:		1,00 g/cm ³
Water solubility:		very soluble

Solubility in other solvents

not determined

Partition coefficient:		not determined
Viscosity / dynamic:		10 mPa·s
Viscosity / kinematic:		not determined
Vapour density:		not determined
Evaporation rate:		not determined

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FENOFLEX Dichtungspflege

Revision date: 23.03.2020

Page 6 of 10

9.2. Other information

Odour threshold: No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine				
	oral	LD50 mg/kg	2925	Rat	Manufacturer OECD 401
	dermal	LD50 mg/kg	> 2000	Rabbit	Manufacturer OECD 402
111-30-8	glutaral; glutaraldehyde; 1,5-pentanedial				
	oral	LD50	200 mg/kg	Rat	Manufacturer
	dermal	LD50 mg/kg	> 2000	Rabbit	Manufacturer
	inhalation vapour	ATE	0,5 mg/l		
	inhalation aerosol	ATE	0,05 mg/l		

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Contains glutaral; glutaraldehyde; 1,5-pentanedial. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FENOFLEX Dichtungspflege

Revision date: 23.03.2020

Page 7 of 10

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine					
	Acute fish toxicity	LC50 5,7 mg/l	96 h	Brachydanio rerio (zebra-fish)	Manufacturer	
	Acute algae toxicity	ErC50 mg/l > 56,2	72 h	Desmodesmus subspicatus	Manufacturer	
	Acute crustacea toxicity	EC50 10,6 mg/l	48 h	Daphnia magna (Big water flea)	Manufacturer	
	Fish toxicity	NOEC 0,63 mg/l	196 d	Pimephales promelas (fathead minnow)	Manufacturer	
111-30-8	glutaral; glutaraldehyde; 1,5-pentanedial					
	Acute algae toxicity	ErC50 0,6 mg/l	72 h	Desmodesmus subspicatus	Manufacturer	
	Algae toxicity	NOEC mg/l 0,025	3 d	Manufacturer	Manufacturer	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine			
	OECD 301E	100 %	28	Manufacturer
	Readily biodegradable (according to OECD criteria).			
111-30-8	glutaral; glutaraldehyde; 1,5-pentanedial			
	OECD 301A	73 %	9	Manufacturer
	Readily biodegradable (according to OECD criteria).			
	OECD 306	73 %	28	Manufacturer
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine	1,5
111-30-8	glutaral; glutaraldehyde; 1,5-pentanedial	0,333

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FENOFLEX Dichtungspflege

Revision date: 23.03.2020

Page 8 of 10

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FENOFLEX Dichtungspflege

Revision date: 23.03.2020

Page 9 of 10

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3: Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with triethanolamine; glutaral; glutaraldehyde; 1,5-pentanedial

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water hazard class (D): - - non-hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Changes**

This data sheet contains changes from the previous version in section(s): 2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFA: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Safety Data Sheet

according to Regulation (EC) No 1907/2006

FENOFLEX Dichtungspflege

Revision date: 23.03.2020

Page 10 of 10

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains glutaral; glutaraldehyde; 1,5-pentanedial. May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)